

(19) 日本国特許庁 (J P)

(12) 公開特許公報 (A)

(11) 特許出願公開番号

特開平10-191745

(43) 公開日 平成10年(1998) 7月28日

(51) Int.Cl.⁶

識別記号

F I

A 0 1 D 34/68

A 0 1 D 34/68

E

B 2 5 D 17/04

B 2 5 D 17/04

17/24

17/24

審査請求 未請求 請求項の数 1 書面 (全 2 頁)

(21) 出願番号

特願平9-35458

(22) 出願日

平成9年(1997) 1月13日

(71) 出願人 597023547

山崎 久司

茨城県稲敷郡阿見町大字君島1008番地

(72) 発明者 山崎 久司


茨城県稲敷郡阿見町大字君島1008番地

(54) 【発明の名称】 振動・衝撃除去グリップ

(57) 【要約】

【課題】チェーンソー・タンバ・さく岩機の振動・衝撃、電動カンナ等による振動を直接手に伝わりにくくする。

【解決手段】機械を操作するハンドルの把持部に α ゲルを介在させて、グリップ本体を装着したことを特徴とする振動・衝撃除去グリップ。



© WPI / DERWENT

- TI - Damper handle for handheld power tools e.g. chain saw, drill - has layer of alpha-gel interposed between machine member and outer gripping sheath
- AB - J10191745 The handle has a vibration absorbing medium. Alpha-gel compound is interposed as an intermediate layer between the machine member and the outer gripping sheath held by the machine user.
- ADVANTAGE - Absorbs and suppresses vibrations and impact. Helps prevention of disease to long time operators.
 - (Dwg.1/2)
- PR - JP19970035458 19970113
- PN - JP10191745 A 19980728 DW199840 A01D34/68 002pp
- PA - (YAMA-I) YAMAZAKI H
- IC - A01D34/68 ;B25D17/04 ;B25D17/24
- AN - 1998-459889 [40]

*** NOTICES ***

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DETAILED DESCRIPTION

[Detailed Description of the Invention]

Vibration and the shock removal grip characterized by having made alpha gel placed between the grasping sections of a handle which operate a machine, and equipping with a grip main part.

[The technical field to which invention belongs] this invention is the grip it was made not to get across to a hand with the vibration and the shock from chain-saw Tampa, a rock borer, and an electric canna saw.

[Description of the Prior Art] The "Raynaud's disease" started to the chain-saw user of forestry has spread to the user of oscillating tools, such as a chain saw and a rock borer. It started to the chain-saw user of forestry in the Showa 30s. It is also called an oscillating disease. The disease by the trouble caused by vibration produced by using a vibrator implement for a long time is said. the central nervous system (cementation, ache and withering) obstacle (*****, headache and forgetfulness, sleep obstacle) bone joint obstacle (wrist, elbow, and shoulder) acoustic sense of the muscular obstacle according [the main symptom] to an erase-function obstacle (forearm consciousness **** and decreased-skin-temperature - stiffening -- etc. -- a lei no phenomenon), and a front garden -- the obstacle of a functional disorder (giddiness and tinnitus) arises [of a finger] The liaison council for the trouble-caused-by-vibration prevention of three ministries of a forest-for-public-welfare field and labor is established in Showa 51. The stock power tool in the construction industry, a manufacture, etc. has spread especially recently. the portion which grasps the portion of the stock of these machines by the main part of a machine and the hand is united with the machine -- it seems that it is merely easy to grasp -- ** -- although covered with rubber, vibration gets across to a hand as it is

[Problem(s) to be Solved by the Invention] Since chain-saw Tampa, the rock borer, etc. are using the engine, when stepping on and hardening the vibration, ballast, etc. when cutting engine vibration and a tree, the vibration and the shock when shaving the vibration of a motor and wood by the vibration and the shock when breaking - rock, the electric canna, etc. get across to a direct hand. If it is used by this for a long time, it will become the "Raynaud's disease" which happens by trouble caused by vibration.

[Means for Solving the Problem] Vibration and the shock removal grip characterized by having made alpha gel placed between the grasping sections of a handle which operate a machine, and equipping with a grip main part.

[Effect of the Invention] By winding alpha gel around the portion (grip) grasped by hand, and covering with conventional rubber from it, in order that alpha gel may absorb vibration, it becomes a cure against a Raynaud's disease.

[Embodiments of the Invention] Below, the operation gestalt of this invention is explained for a drawing, making it reference. The material and "alpha gel" which absorb vibration and a shock are used for this invention, and it is made not to get across to a hand with the vibration and the shock from - electric canna saws, such as chain-saw Tampa and a rock borer. alpha gel is used for the part of a grip on hand, and the vibration and the shock from a machine are absorbed.

[Translation done.]

CLAIMS

[Claim(s)]

Vibration and the shock removal grip which used alpha gel. [Claim 1]

*** NOTICES ***

Japan Patent Office is not responsible for any damages caused by the use of this translation.

1. This document has been translated by computer. So the translation may not reflect the original precisely.
2. **** shows the word which can not be translated.
3. In the drawings, any words are not translated.

DESCRIPTION OF DRAWINGS

[Brief Description of the Drawings]

[Drawing 1] It is explanatory drawing at the time of applying the grip of this invention to a chain saw.

[Drawing 2] It is explanatory drawing at the time of applying the grip of this invention to an oscillating plate.

[Translation done.]